


Model 207

Max. Wheel RPM 3600
Shaft Diameter, In. 3/4"
Max. HP 3/4


Delhi Industries Inc. certifies that the 200, 200-2, 9200 and 9200-2 Series Duct Blowers shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and Publication 311, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories). Twin unit data is derived from tests of single width fans. For certified sound ratings refer to Delhi Catalogue #SS-31.



Model 209 9209

Max Wheel RPM	2800	2800
Shaft Diameter, In.	3/4"	3/4"
Max HP	1-1/2	1-1/2


Delhi Industries Inc. certifies that the 200, 200-2, 9200 and 9200-2 Series Duct Blowers shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and Publication 311, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories). Twin unit data is derived from tests of single width fans. For certified sound ratings refer to Delhi Catalogue #SS-31.



Model 209 9209

Max Wheel RPM	2800	2800
Shaft Diameter, In.	3/4"	3/4"
Max HP	3/4	1-1/2


Delhi Industries Inc. certifies that the 200, 200-2, 9200 and 9200-2 Series Duct Blowers shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and Publication 311, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories). Twin unit data is derived from tests of single width fans. For certified sound ratings refer to Delhi Catalogue #SS-31.



Model 210 9210

Max Wheel RPM	2500	2500
Shaft Diameter, In.	3/4"	3/4"
Max HP	1-1/2	1-1/2


Delhi Industries Inc. certifies that the 200, 200-2, 9200 and 9200-2 Series Duct Blowers shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and Publication 311, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories). Twin unit data is derived from tests of single width fans. For certified sound ratings refer to Delhi Catalogue #SS-31.



Model 212 9212

Max Wheel RPM	2140	2140
Shaft Diameter, In.	3/4"	1"
Max HP	1-1/2	3


Delhi Industries Inc. certifies that the 200, 200-2, 9200 and 9200-2 Series Duct Blowers shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and Publication 311, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories). Twin unit data is derived from tests of single width fans. For certified sound ratings refer to Delhi Catalogue #SS-31.



Model 215 9215

Max Wheel RPM	1800	1800
Shaft Diameter, In.	1"	1"
Max HP	3	5


Delhi Industries Inc. certifies that the 200, 200-2, 9200 and 9200-2 Series Duct Blowers shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and Publication 311, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories). Twin unit data is derived from tests of single width fans. For certified sound ratings refer to Delhi Catalogue #SS-31.



Model 218 9218

Max Wheel RPM	1450	1450
Shaft Diameter, In.	1"	1"
Max HP	5	5

Delhi Industries Inc. certifies that the 200, 200-2, 9200 and 9200-2 Series Duct Blowers shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and Publication 311, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories). Twin unit data is derived from tests of single width fans. For certified sound ratings refer to Delhi Catalogue #SS-31.



Model 9220

Max Wheel RPM 1325

Shaft Diameter, In. 1-7/16"

Max HP 15

Delhi Industries Inc. certifies that the 200, 200-2, 9200 and 9200-2 Series Duct Blowers shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and Publication 311, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories). Twin unit data is derived from tests of single width fans. For certified sound ratings refer to Delhi Catalogue #SS-31.

