

Model 407

Max Wheel RPM 2800

Shaft Diameter, In. 3/4"

Max HP 1

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519) 582-0581

www.delhi-industries.com



Model 409


Max Wheel RPM 2250

Shaft Diameter, In. 3/4"

Max HP 2


Performance curves are based on tests made in accordance with AMCA 210-99. Installation Type B - Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com



Model	410	610
Max Wheel RPM	2000	2000
Shaft Diameter, In.	3/4"	3/4"
Max HP	2	2


Delhi Industries Inc. certifies that the 600 Series Utility Blowers shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).



Model 412 612

Max Wheel RPM	1800	1800
Shaft Diameter, In.	3/4"	3/4"
Max HP	2	2


Delhi Industries Inc. certifies that the 600 Series Utility Blowers shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).



Model 415 615

Max Wheel RPM	1500	1500
Shaft Diameter, In.	1"	1"
Max HP	3	5


Delhi Industries Inc. certifies that the 600 Series Utility Blowers shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).



Model 418 618


Max Wheel RPM	1200	1200
Shaft Diameter, In.	1"	1"
Max HP	5	5

Delhi Industries Inc. certifies that the 600 Series Utility Blowers shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Model	420	620
Max Wheel RPM	1250	1250
Shaft Diameter, In.	1-3/16"	1-3/16"
Max HP	7-1/2	10

Delhi Industries Inc. certifies that the 600 Series Utility Blowers shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).



Model	422	622
Max Wheel RPM	1200	1200
Shaft Diameter, In.	1-3/16"	1-3/16"
Max HP	7-1/2	10

Delhi Industries Inc. certifies that the 600 Series Utility Blowers shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).



Model	425	625
Max Wheel RPM	1000	1000
Shaft Diameter, In.	1-3/16"	1-3/16"
Max HP	10	10

Delhi Industries Inc. certifies that the 600 Series Utility Blowers shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

